



SILVERFOX
beauty

Silverfox Health & Beauty, Inc.

Tel: 800.487.3590 / 714.540.4258

Email: info@silverfoxamerica.com 7373 Doig Drive Garden Grove, CA 92841

www.silverfoxamerica.com

SFUS C 2503 V01 P EN



Contents

01
Spa & Massage Table

02
Facial Chair

03
Gynecology &
Physiotherapy Chair

04
Skin & Body
Care Instrument

05
Beauty Stool &
Trolley



Spa & Massage Table





2285B
Massage Table

UNPARALLELED USER EXPERIENCE



The Storage Space For
Hot-Towel Cabinet(Optional)




Heating Function (Option)

2285B (4 Motors)


SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	112 kg / 247 lbs
Gross weight:	130 kg / 287 lbs
Package size:	2060x860x670 (mm)≈1.18m ³ 81x33.8x26 (in)≈72008in ³
Product size(L*W*H):	2150x790x625 / 790 (mm) 84.6x31x24.6 / 31 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2275

Massage Table



UNPARALLELED USER EXPERIENCE




Original Position: 670 mm / 26.4 in

Max Loading : 200kg(440 lbs)


SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	105 kg / 232 lbs
Gross weight:	125 kg / 276 lbs
Package size:	2040x810x740 (mm)≈1.22m ³ 80.3x32x29 (in)≈74448in ³
Product size(L*W*H):	1985x740x670 / 870 (mm) 78x29x26.4 / 33.3 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2239A
Massage Table



UNPARALLELED USER EXPERIENCE



Heating System (Optional)

Angle Of The Seat: 25°

SPECIFICATIONS

Max load bearing:	175 kg / 386 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	106.5 kg / 235 lbs
Gross weight:	141 kg / 310 lbs
Package size:	2060x860x610 (mm)≈1.08m ³ 81.1x33.9x24 (in)≈65905in ³
Product size(L*W*H):	2000x790x540 / 870 (mm) 78.7x31.1x21.3 / 34.2 (in)

STANDARD CONFIGURATION

175kg
386lbs
MAX

Max Load
Bearing

Latex
Foam

Built-in
Foot Controller

Hand
Controller


OPTIONS

Foot
Controller

Heating

UNIT

mm/in



2249

Massage Table



UNPARALLELED USER EXPERIENCE



SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	134 kg / 296 lbs
Gross weight:	153 kg / 337 lbs
Package size:	2040x810x720 (mm)≈1.2m ³ 80.3x32x28.4 (in)≈73228in ³
Product size(L*W*H):	1985x740x670 / 870 (mm) 78.2x29x26.4 / 34.3 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2256B
Massage Table




UNPARALLELED USER EXPERIENCE




SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	105 kg / 232 lbs
Gross weight:	125 kg / 276 lbs
Package size:	2040x810x740 (mm)≈1.22m ³ 80.3x32x29 (in)≈74448in ³
Product size(L*W*H):	1980x740x600 / 935 (mm) 78x29x23.6 / 36.8 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



4-Piece Cushion Design(Optional)

Paper Roll Holder

2259

Massage Table



UNPARALLELED USER EXPERIENCE



Vibroacoustic Therapy System




Original Height: 860mm / 33.9in

SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	96.8 kg / 214 lbs
Gross weight:	117 kg / 258 lbs
Package size:	2040x810x720 (mm)≈1.2m ³ 80.3x32x28.3 (in)≈73228in ³
Product size(L*W*H):	1985x740x660 / 860 (mm) 78x29x26 / 33.9 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in




2340 Series

Massage Table




UNPARALLELED USER EXPERIENCE




SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
(2340)	
Net weight:	118 kg / 260 lbs
Gross weight:	137 kg / 302 lbs
Package size:	2060x850x635 (mm)≈1.1m ³ 81x33.5x25 (in)≈67126in ³
Product size(L*W*H):	2280x1020x710 / 100 (mm) 89.8x40x28 / 40 (in)
(2340A)	
Net weight:	104 kg / 229 lbs
Gross weight:	123 kg / 271 lbs
Package size:	2060x850x635 (mm)≈1.1m ³ 81x33.5x25 (in)≈67126in ³
Product size(L*W*H):	1988x760x710 / 1010 (mm) 78.3x30x28 / 40 (in)
(2340C)	
Net weight:	110 kg / 242 lbs
Gross weight:	128 kg / 282 lbs
Package size:	2060x850x740 (mm)≈1.3m ³ 81x33.8x26 (in)≈79330in ³
Product size(L*W*H):	1995x810x710 / 1010 (mm) 78.5x32x28 / 40 (in)

STANDARD CONFIGURATION



OPTIONS





2274 Series

Massage Table

UNPARALLELED USER EXPERIENCE



2274B



2274A

2274

SPECIFICATIONS

Max load bearing:	175 kg / 386 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	84.2 kg / 186 lbs
Gross weight:	99.2 kg / 219 lbs
Package size:	1920x830x500 (mm)≈0.82m³ 33.9x31.9x28.3 (in)≈50039in³
Product size(L*W*H):	(2274A&2274B) 2160x990x470 / 770 (mm) 78x39x26/33.9 (in) (2274) 2160x760x470 / 770 (mm) 78x30x26/33.9 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2241C

Massage Table



UNPARALLELED USER EXPERIENCE



Curved Base With Two Wheels To Facilitate Its Mobility

Original Position: 560 mm / 22 in

SPECIFICATIONS

Max load bearing:	175 kg / 386 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	106.5 kg / 235 lbs
Gross weight:	141 kg / 310 lbs
Package size:	2060x860x610 (mm)≈1.08m ³ 81.1x33.9x24 (in)≈65905in ³
Product size(L*W*H):	2000x790x560 / 870 (mm) 78.7x31.1x22 / 34.2 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2210A

Massage Table



UNPARALLELED USER EXPERIENCE





SPECIFICATIONS

Max load bearing:	175 kg / 386 lbs
Net weight:	57.5 kg / 127 lbs
Gross weight:	74 kg / 163 lbs
Package size:	1800x720x490 (mm)≈0.64m ³ 70.87x28.4x19.3 (in)≈39005in ³
Product size(L*W*H):	1870x830x600 / 860 (mm) 73.6x32.7x23.6 / 33.8 (in)

UNIT

mm/in





Facial Chair



2246EBN

Facial Chair



UNPARALLELED USER EXPERIENCE




Easily Detachable

Rotation: +120° ~ -120°

SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	110.7 kg / 244 lbs
Gross weight:	122 kg / 269 lbs
Package size:	1400x810x610 (mm)≈0.69m ³ 55.12x37.89x24 (in)≈42106in ³
Product size(L*W*H):	1810x860x510 / 830 (mm) 71.3x33.9x19 / 32.7 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2246BN
Facial Chair



UNPARALLELED USER EXPERIENCE



Easily Detachable

Rotation: +120° ~ -120°

SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	97.5 kg / 215 lbs
Gross weight:	112.5 kg / 248 lbs
Package size:	1400x810x610 (mm)≈0.69m³ 55.12x37.89x24 (in)≈42106in³
Product size(L*W*H):	1810x860x570 / 830 (mm) 71.3x33.9x22.4 / 32.7 (in)

STANDARD CONFIGURATION

200kg
440lbs
MAX

Max Load
Bearing

M

Memory
System

R

Rest

Lock

Lock

OPTIONS

Heating

Heating

Foot
Controller

Foot
Controller


Memory
Foam

Memory
Foam

Hand
Controller

Hand
Controller


UNIT



2218BN
Facial Chair



UNPARALLELED USER EXPERIENCE



- Adjustable Backrest
- Adjustable Height
- Adjustable Footrest


Strong Pedestal Design With
Built-In Foot Controller

Easily Detachable


SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	95 kg / 209 lbs
Gross weight:	108 kg / 238 lbs
Package size:	1420x690x670 (mm)≈0.66m ³ 56x27.2x26.4 (in)≈40275in ³
Product size(L*W*H):	1820x740x635 / 845 (mm) 71.7x29x25 / 33.2 (in)

STANDARD CONFIGURATION





OPTIONS



UNIT

mm/in





2222BN
Facial Chair

UNPARALLELED USER EXPERIENCE



Easily Detachable



Original Position: 630 mm / 24.8 in

SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	77.6 kg / 440 lbs
Gross weight:	89.4 kg / 197 lbs
Package size:	1420x680x670 (mm)≈0.65m ³ 56x26.8x26.3 (in)≈39665in ³
Product size(L*W*H):	1820x860x630 / 850 (mm) 71.7x33.9x24.8 / 33.5 (in)

STANDARD CONFIGURATION

200kg
440lbs
MAX

Max Load
Bearing

M

Memory
System

R

Rest

Lock

Lock

OPTIONS

Heating

Heating

Memory
Foam

Memory
Foam

Hand
Controller



Hand
Controller

Foot
Controller

Foot
Controller

UNIT

mm/in



2246EBM

Facial Chair



UNPARALLELED USER EXPERIENCE




Built-In Foot Controller

Emergency Switch


SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	108 kg / 238 lbs
Gross weight:	121 kg / 267 lbs
Package size:	1360x820x700 (mm)≈0.78m ³ 55.12x37.89x24 (in)≈47598in ³
Product size(L*W*H):	1860x860x620 / 940 (mm) 73.2x33.9x22.4 / 37 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2220D
Facial Chair



UNPARALLELED USER EXPERIENCE




SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	92 kg / 203 lbs
Gross weight:	105 kg / 232 lbs
Package size:	1280x690x690 (mm)≈0.61m ³ 50.4x27x27 (in)≈37224in ³
Product size(L*W*H):	1850x870x660 / 880 (mm) 72.8x34.2x26 / 34.6 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



- Adjustable Backrest
- Adjustable Height
- Adjustable Footrest

Strong Pedestal Design With
Built-In Foot Controller

Lock: Disables Controls For Safer Operation
Reset: Makes The Chair Fully Upright And At The
Lowest Height Reset

2270FB

Facial Chair



UNPARALLELED USER EXPERIENCE




SPECIFICATIONS

Max load bearing:	175 kg / 386 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	66.5 kg / 146.6 lbs
Gross weight:	80 kg / 176 lbs
Package size:	1700x650x700 (mm)≈0.77m ³ 66.9x25.6x27.6 (in)≈46988in ³
Product size(L*W*H):	1900x800x670 / 880 (mm) 74.8x31.5x26.4 / 34.7 (in)

STANDARD CONFIGURATION





OPTIONS



UNIT

mm/in



Comfortable Upholstery

Single Column Lifting

2271B
Facial Chair



UNPARALLELED USER EXPERIENCE




SPECIFICATIONS

Max load bearing:	175 kg / 386 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	98.4 kg / 217 lbs
Gross weight:	113 kg / 249 lbs
Package size:	1300x780x640 (mm)≈0.65m ³ 66.9x25.6x27.6 (in)≈39665in ³
Product size(L*W*H):	1780x840x565 / 865 (mm) 78x29x23.6 / 36.8 (in)

STANDARD CONFIGURATION





OPTIONS



UNIT

mm/in



Easily Detachable

Zero-Gravity-Seats Position

2272B
Facial Chair



UNPARALLELED USER EXPERIENCE



Easily Detachable



240° Rotation

SPECIFICATIONS

Max load bearing:	175 kg / 386 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	98.4 kg / 217 lbs
Gross weight:	113 kg / 249 lbs
Package size:	1300x780x640 (mm)≈0.65m ³ 66.9x25.6x27.6 (in)≈39665in ³
Product size(L*W*H):	1780x840x565 / 865 (mm) 78x29x23.6 / 36.8 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2235D
Facial Chair



UNPARALLELED USER EXPERIENCE




SPECIFICATIONS

Max load bearing:	175 kg / 386 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	106.5 kg / 235 lbs
Gross weight:	141 kg / 310 lbs
Package size:	1480x720x640 (mm)≈0.68m ³ 81x33.9x24 (in)≈41496in ³
Product size(L*W*H):	1840x850x590 / 880 (mm) 72.4x33.5x23.2 / 34.6 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2219B

Facial Chair




UNPARALLELED USER EXPERIENCE



SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	65 kg / 144 lbs
Gross weight:	78 kg / 172 lbs
Package size:	1280x690x690 (mm)≈0.61m ³ 50.4x27.2x27.2 (in)≈37224in ³
Product size(L*W*H):	1850x790x640 / 860 (mm) 72.8x31.1x25.2 / 33.9 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2221D

Facial Chair




UNPARALLELED USER EXPERIENCE



SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	64 kg / 141 lbs
Gross weight:	77 kg / 170 lbs
Package size:	1280x690x690 (mm)≈0.61m ³ 50.4x27.2x27.2 (in)≈37224in ³
Product size(L*W*H):	1850x790x620 / 850 (mm) 72x31.1x24.4 / 33.4 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2206A

Facial Chair



UNPARALLELED USER EXPERIENCE





SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Net weight:	72 kg / 159 lbs
Gross weight:	82 kg / 180 lbs
Package size:	1830x670x600 (mm)≈0.74m ³ 72x26.4x23.6 (in)≈45157in ³
Product size(L*W*H):	1880x830x550 / 750 (mm) 74x32.7x21.7 / 29.5 (in)

UNIT

mm/in





Gynecology & Physiotherapy Chair



2246EBNS

Gynecology & Physiotherapy Chair



UNPARALLELED USER EXPERIENCE



SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	v
Net weight:	110.7 kg / 244 lbs
Gross weight:	122 kg / 269 lbs
Package size:	1400x810x610 (mm)≈0.69m³ 55.12x37.89x24 (in)≈42106in³
Product size(L*W*H):	1810x860x510 / 830 (mm) 71.3x33.9x19 / 32.7 (in)


STANDARD CONFIGURATION



OPTIONS



UNIT



Easily Detachable

Original Position: 510 mm / 19 in

2246EB-I

Gynecology & Physiotherapy Chair



UNPARALLELED USER EXPERIENCE




SPECIFICATIONS

Max load bearing:	175 kg / 386 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	103 kg / 227 lbs
Gross weight:	116 kg / 256 lbs
Package size:	1540x810x605 (mm)≈0.75m ³ 60.6x32x23.8 (in)≈45767in ³
Product size(L*W*H):	1770x680x500 / 800 (mm) 67x26.8x19.7 / 31.5 (in)

STANDARD CONFIGURATION





OPTIONS



UNIT

mm/in



Option : Rails & Stirrups Version

120° Rotation

2218BR

Gynecology & Physiotherapy Chair



UNPARALLELED USER EXPERIENCE




Strong Pedestal Design With
Built-In Foot Controller

Lock: Disables Controls For Safer Operation
Reset: Makes The Chair Fully Upright And At The
Lowest Height Reset


SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	95 kg / 209 lbs
Gross weight:	108 kg / 238 lbs
Package size:	1420x690x670 (mm)≈0.66m ³ 56x27.2x26.4 (in)≈40275in ³
Product size(L*W*H):	1820x740x635 / 845 (mm) 71.7x29x25 / 33.2 (in)

STANDARD CONFIGURATION





OPTIONS



UNIT

mm/in



2246EBS

Gynecology & Physiotherapy Chair



UNPARALLELED USER EXPERIENCE



Built-In Foot Controller




60° Rotation


SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	108 kg / 238 lbs
Gross weight:	121 kg / 267 lbs
Package size:	1360x820x700 (mm)≈0.78m ³ 55.12x37.89x24 (in)≈47598in ³
Product size(L*W*H):	1860x860x620 / 940 (mm) 73.2x33.9x22.4 / 37 (in)

STANDARD CONFIGURATION




OPTIONS



UNIT

mm/in



2212 Series Treatment Table



UNPARALLELED USER EXPERIENCE



2212 Series



2212
1 Motor



2212A
2 Motors



2212B
1 Motor (Hand Remote Is Standard)



2212C
1 Motor (Hand Remote Is Standard)


SPECIFICATIONS

Max load bearing:	200 kg / 440 lbs
Frequency:	50 / 60 Hz
Voltage:	AC 100-120V
Net weight:	57.5 kg / 127 lbs
Gross weight:	74 kg / 163 lbs
Package size:	1900x730x520 (mm)≈0.72m ³ 74.8x20.5x22.8 (in)≈43937in ³
Product size(L*W*H):	1850x700x460 / 865 (mm) 72.8x27.6x18 / 34 (in)

STANDARD CONFIGURATION





OPTIONS



UNIT

mm/in





Skin & Body Care Instrument



3021B

Multi-Function Beauty Instrument



1005T

Lamp / 3D(8D) LED
3D(1.75X)+8D(3X)

- Package Size: 810×430×135(Mm)≈0.05m³ 31.9×16.9×5.3(In)≈0.05m³
- Power: AC 100-120V/220-240V 50/60Hz



F-300DT

Digital Facial
Steamer

- Package size: 900×330×320(mm)≈0.1m³ 35.4×13×12.6(in)≈0.1m³
- Power: AC 100-120V/220-240V 50/60Hz



F-311B~F-320B

Customizable
Maximum 6 Models

- Package size: 568×525×235mm 22.4×20.7×9.3(in)
- Product size: 208×230×75mm 8.2×9.1×3(in)



F-311A~F-319A (3021)

Customizable
Maximum 6 Models

- Package size: 140×370×275mm 5.5×14.6×10.8(in)
- Product size: 225×208×75mm 8.9×8.2×2.95(in)



T-01

Hot Towel
Cabinet

- Package size: 375×310×280(mm)≈0.03m³ 14.8×12.2×11(in)
- Power: AC 100-120V/220-240V 50/60Hz



3020D: Trolley for Combination

F-31XB Series

Beauty Instrument



F-311B

Skin Scrubber

Voltage :100-240V
Frequency :50/60Hz



F-313B

Galvanic

Voltage :100-240V
Frequency :50/60Hz



F-315B

Rotary Brush

Voltage :100-240V
Frequency :50/60Hz



F-317B

Radio Frequency

Voltage :100-240V
Frequency :50/60Hz



F-319B

Diamond Dermabrasion

Voltage :100-240V
Frequency :50/60Hz



F-312B

Ultrasonic

Voltage :100-240V
Frequency :50/60Hz



F-314B

High-Frequency

Voltage :100-240V
Frequency :50/60Hz



F-316B

Vacuum & Spray

Voltage :100-240V
Frequency :50/60Hz



F-318B

Cold & Hot Hammer

Voltage :100-240V
Frequency :50/60Hz



F-320B

EMS

Voltage :100-240V
Frequency :50/60Hz

F-003


Facial Steamer



SPECIFICATIONS

- Voltage: 50 / 60 Hz
- Frequency: AC 100-120V
- Net weight: 5.6 kg / 12 lbs
- Gross weight: 8.9 kg / 19 lbs (1PCS)
- Package size: 880x400x310 (mm)≈0.11m³ 34.6×15.7×12.2in≈6712in³

FUNCTIONS



Ozone Hot Spraying

PRODUCT DETAILS



Vapor function
Ozone function



Steamer Arm



Water cup



F-003NB

F-300H

Digital Facial Steamer




F-300DT

SPECIFICATIONS

- Voltage: 50 / 60 Hz
- Frequency: AC 100-120V
- Net weight: 5.8 kg / 13 lbs
- Gross weight: 6.6 kg / 15 lbs
- Package size: 900×330×320mm≈0.095m³ 35.4×13×12.6in≈5797in³

FUNCTIONS



Ozone Hot Spraying Water level detection Fragrance / Herbs Spray Volume Adjustment

PRODUCT DETAILS



Nozzle



Host (F-300DT)



Water Cup



Five-Claw



F-800

Facial Steamer

F-800NB

SPECIFICATIONS

- Voltage: 50 / 60 Hz
- Frequency: AC 100-120V
- Net weight: 7.7 kg / 17 lbs
- Gross weight: 9 kg / 20 lbs
- Package size: 975×330×345mm≈0.11m³ 38.4×13×13.6in≈6712in³

FUNCTIONS



Ozone



Hot Spraying



Water level detection



Fragrance / Herbs



Spray Volume Adjustment

PRODUCT DETAILS



Nozzle



Steamer Arm



Water cup



Five-Claw



F-800B

Facial Steamer

F-800BNB

SPECIFICATIONS

- Voltage: 50 / 60 Hz
- Frequency: AC 100-120V
- Net weight: 6.5 kg / 14 lbs
- Gross weight: 8.3 kg / 18 lbs
- Package size: 975×330×345mm≈0.11m³ 38.4×13×13.6in≈6712in³

FUNCTIONS



Ozone



Hot Spraying



Fragrance / Herbs

PRODUCT DETAILS



Nozzle



Steamer Arm



Water cup



Five-Claw



FM-601

Facial Steamer

SPECIFICATIONS

Voltage: 50 / 60 Hz

Frequency: AC 100-120V

Net weight: 5.6 kg / 12.4 lbs

Gross weight: 6.9 kg / 15.2 lbs

Package size: 820×360×250mm≈0.08m³ 32.3×1×9.8in≈4881in³

FUNCTIONS



Ozone



Hot Spraying



Fragrance / Herbs

PRODUCT DETAILS



F-360

Facial Steamer

SPECIFICATIONS

Voltage: 50 / 60 Hz

Frequency: AC 100-120V

Net weight: 12.6 kg / 27.8 lbs


Gross weight: 14.1 kg / 31 lbs

Package size: 415×355×500mm≈0.07m³ 16.3×14×16.7in≈4271in³

FUNCTIONS

- Dual pump system
- Dehumidification system
- Self-cleaning
- Independent tubes
- Colorful capacitive touch scre easy to read and control.

PRODUCT DETAILS



P-02
Portable High-Frequency
Instrument



SPECIFICATIONS

Voltage:	50 / 60 Hz
Frequency:	AC 100-120V
Net weight:	0.3 kg / 0.7 lbs
Gross weight:	0.55 kg / 1.21 lbs
Package size:	325×210×60mm≈0.004m ³ 12.8×8.3×2.4in≈244in ³

PRODUCT DETAILS

Mushroom-shaped electrode
For large areas of the skin (face, neck, forehead, etc.).



Spoon-shaped electrode pipe
For large areas of the skin (face, neck, forehead, etc.).



Point-shaped electrode pipe
For the nest side area, such as the nose.



Comb-shaped electrode pipe
For the head and hair.



S-02
UV Sterilizer



SPECIFICATIONS

Voltage:	50 / 60 Hz
Frequency:	AC 100-120V
Net weight:	8.2 kg / 18.1 lbs
Gross weight:	9.7 kg / 21.4 lbs
Package size:	410×255×220mm≈0.13m ³ 16×10×8.7in≈7933in ³

PRODUCT DETAILS



T-01

Hot Towel Cabinet

SPECIFICATIONS

Voltage: 50 / 60 Hz
Frequency: AC 100-120V
Net weight: 4.6 kg / 10 lbs
Gross weight: 5.2 kg / 11 lbs
Package size: 375×310×270mm≈0.3m³ 14.8×12.2×10.6in≈18307in³
Tank capacity: 6L

FUNCTIONS

- Hot and Ultraviolet disinfection

PRODUCT DETAILS



T-03

Hot Towel Cabinet

SPECIFICATIONS

Voltage: 50 / 60 Hz
Frequency: AC 100-120V
Net weight: 10.6 kg / 23 lbs
Gross weight: 11.8 kg / 26 lbs
Package size: 560×420×375mm≈0.9m³ 16.3×14×16.7in≈54921in³
Tank capacity: 18L

FUNCTIONS

- Hot and Ultraviolet disinfection
- Heat preservation function

PRODUCT DETAILS





F-100C
ION Facial Steamer

Net weight: 12 kg / 26.5 lbs
Gross weight: 13.6 kg / 30 lbs
Package size: 975×330×345mm≈0.11m³ 38.4×13×13.6in≈6712in³



F-101
ION Facial Steamer

Net weight: 13.8 kg / 31 lbs
Gross weight: 19.8 kg / 44 lbs
Package size: 385×255×280mm≈0.03m³ 15.2×10×11in≈1830in³



F-803
High-Frequency & Galvanic

1PC Package size: 390×360×185mm≈0.03m³ 15.2×10×11in≈1830in³
6PC Package size: 1110*400*415(mm)≈0.19m³ 43.7×15.6×16.34in≈11594in³



F-805
Galvanic Beauty Instrument

1PC Package size: 360×310×385mm≈0.03m³ 15.2×10×11in≈1830in³
6PC Package size: 960*370*415(mm)≈0.15m³ 37.8×14.6×16.34in≈9153in³



F-806
ION Facial Steamer

1PC Package size:	360*310*155(mm)≈0.017m ³	14.2×12.2×6.1in≈1037in ³
6PC Package size:	960*370*415(mm)≈0.15m ³	37.8×14.6×16.34in≈9153in ³



F-825A
Infrared Heating Blanket

1PC Package size:	360*310*155(mm)≈0.017m ³	14.2×12.2×6.1in≈1037in ³
-------------------	-------------------------------------	-------------------------------------



F-834
Diamond Dermabrasion

1PC Package size:	360x360x185(mm)≈0.024m ³	14.2x14.2x7.3(in)≈1464in ³
6PC Package size:	1110x370x415(mm)≈0.17m ³	43.7x14.6x16.3(in)≈10374in ³



F-336B
Diamond Dermabrasion

Package size:	490×450×195mm≈0.05m ³	19.3×17.7×7.7in≈3051in ³
---------------	----------------------------------	-------------------------------------



Beauty Stool & Trolley



8C01

Beautician Stool



SPECIFICATIONS

Net weight:	11 kg / 24.3 lbs
Gross weight:	13.7 kg / 30.2 lbs
Package size:	590*300*600(mm)≈0.11m ³ 23×11.8×23.6in≈6712in ³
Product size(L*W*H):	600*600*750mm 23.62×23.62×29.5in

PRODUCT DETAILS



Relax mode
The Relax mode keep the body in a relaxed state. Lift the backrest to the level of dorsal and tilt backward, adjust the seat-rest at horizontal angle.



Consulting mode
The Consulting mode facilitates face to face communication between practitioner and patient in a comfortable posture. Adjust the backrest to upright position, and seat-rest to horizontal angle, this posture helps support the spine at a straight and comfortable state.



Operation mode
The Operation mode is specially suitable for working at a forward leaning position. Adjust the backrest to support the waist, and the seat-rest at incline angle. Helping the thigh and calf to form a 120-degree angle will reduce stress of the spine and prevent injury.

1025 & 1025A

Beautician Stool



SPECIFICATIONS

Net weight:	9.3 kg / 20 lbs
Gross weight:	11.2 kg / 24 lbs
Package size:	590*300*600(mm)≈0.11m ³ 23×11.8×23.6in≈6712in ³
Product size(L*W*H):	640*390*535 / 735mm 25.2×15.3×21 / 29in

PRODUCT DETAILS



Adjustable Height



Adjustable Backrest



1025B
Beautician Stool

Net weight:	8.2 kg / 18.1 lbs
Gross weight:	9.7 kg / 21.4 lbs
Package size:	590*300*600(mm)≈0.11m ³ 23×11.8×23.6in≈6712in ³
Product size(L*W*H):	640*370*535 / 735mm 25.2×14.6×21 / 29in



1023A
Beautician Stool

Net weight:	4.6 kg / 10.1 lbs
Gross weight:	5.5 kg / 12.1 lbs
Package size:	480*220*480(mm)≈0.5m ³ 18.9×8.7×18.9in≈30511in ³
Product size(L*W*H):	555*480*555 / 750mm 21.9×18.9× 21.9 / 29.5in



1030
Beautician Stool

Net weight:	9.3 kg / 20 lbs
Gross weight:	11.2 kg / 24 lbs
Package size:	590*300*600(mm)≈0.11m ³ 23×11.8×23.6in≈6712in ³
Product size(L*W*H):	640*400*500 / 700mm 25.2×15.8×19.7 / 27.6in



1071
Beautician Stool

Net weight:	12.7 kg / 28 lbs
Gross weight:	14.6 kg / 32.2 lbs
Package size:	635 × 340 × 595 mm ≈ 0.13 m ³ 25×13.4×24.4 in≈30511in ³
Product size(L*W*H):	640*6400*910 / 700mm 25.2×25.2×35.8 / 27.6in



1019
Beauty Trolley

Net weight:	20.5kg / 45.2 lbs
Gross weight:	22.5kg / 49.6 lbs
Package size:	945×570×270mm≈0.15m ³ 37.2×22.4×10.6in≈9153in ³
Product size(L*W*H):	555×370×820mm 21.9×14.6×32.3in



1019A
Beautician Stool

Net weight:	17kg / 37.5 lbs
Gross weight:	19kg / 42 lbs
Package size:	790×490×315mm≈0.12m ³ 31×19.3×12.4in≈7322in ³
Product size(L*W*H):	555×370×820mm 21.9×14.6×32.3in




1040
Beauty Trolley

Net weight:	16 kg / 35.3 lbs
Gross weight:	18.5 kg / 41 lbs
Package size:	760×455×150mm≈0.05m ³ 29.9×17.9×5.9in≈3051in ³
Product size(L*W*H):	600×465×805mm 23.6×18.3×31.7in



1040A
Beautician Stool

Net weight:	20kg / 44 lbs
Gross weight:	24.2kg / 53.4 lbs
Package size:	995×655×175mm≈0.12m ³ 39.2×25.8×6.89in≈7322in ³
Product size(L*W*H):	600×465×805mm 23.6×18.3×31.7in



1064

Beautician Stool

Net weight:	36.6 kg / 80.7 lbs
Gross weight:	43.7 kg / 96 lbs
Package size:	645×495×935mm≈0.3m ³ 25.4×19.5×36.8in≈18307in ³
Product size(L*W*H):	415×545×855mm 16.3×21.5×33.7in



1001A
Floor-Standing Type

1001AT
Clip-type

1001A & 1001AT

Magnifier LED Lamp

Net weight:	7.8 kg / 17 lbs (1001A)	2.5 kg / 5.5 lbs (1001AT)
Gross weight:	9.0 kg / 20 lbs (1001A)	3.7 kg / 8.2 lbs (1001AT)
Package size:	840×300×155mm≈0.1m ³	33×11.81×6.1in≈6102in ³



1005
Floor-Standing Type

1005T
Clip-type

1005 & 1005T

Magnifier LED Lamp

Net weight:	8.9 kg / 18.3 lbs (1005)	2.5 kg / 5.5 lbs (1005T)
Gross weight:	9.5 kg / 21 lbs (1005)	3.3 kg / 7.3 lbs (1005T)
Package size:	810×430×135mm≈0.05m ³	31.89×16.93×5.3in≈3051 ³



1006A
Floor-Standing Type

1006AT
Clip-type

1006A & 1006AT

Magnifier LED Lamp

Net weight:	11.6 kg / 25.6 lbs (1006A)	3.6 kg / 8 lbs (1006AT)
Gross weight:	14 kg / 30.9 lbs (1006A)	6 kg / 13.3 lbs (1006AT)
Package size:	835×690×135mm≈0.05m ³	32.87×27.2×5.3in≈6102in ³

